




Verification, Tagging & Reconciliation (VTR) Services



Verification & Tagging Process

FAR

Collect FAR from Finance, Purchase & Leasehold Registers

VERIFY

Choose asset attributes to be physically verified

TAG

Freeze fonts and tag design

TAG

Physically Tag the assets

REPORT

Generate report and signoff



UID

Choose Prefix and Series for Unique Identifier

GROUP


Freeze Criteria for asset Grouping

PV

Physically Verify the assets

AUDIT

Check Verified Data



Tagging Solution & Tag Placement Strategy


Silver Polyester Tag



Tag Specification


- Tag size is 50*25 mm (ideal for any assets)
- Contains the QR code, Company logo, Unique Asset ID and other required details.
- It comes with 3M adhesive, which helps it to stick easily on any kind of plane surface.
- Made of Polyester material, which can withstand adverse weather conditions.

Aluminum Tag




Tag Specifications:

- Tag size is 90*50 mm (ideal for location tagging, motors, pumps and other assets prone to chemicals or adverse weather); thickness: 1 mm
- Contains Barcode, Company Name, Unique Asset ID and other required details.
- It comes with 3M adhesive stickers, which helps it to stick easily on any kind of plane surface.
- Made of Aluminum material, which can withstand adverse weather conditions and chemical reactions.



Reconciliation





VTR Application

**Our new approach towards
successful completion of Asset
Management Projects**